



Setup manual: E-mail client Thunderbird

1. Run Thunderbird.
2. If it's the first time a wizard will show up.
Otherwise, go to:

Tools > Account configuration... > Accounts operations -> [Add mail account...]

Then click to [Next] and fill the fields as following:

Configuración de cuenta de correo

Su nombre: Su nombre, tal y como se muestra a los demás

Dirección de correo:

Contraseña:

Recordar contraseña

3. At this point it's possible that you were setting up the client from the outside of the RMEE-CIMNE network. If it is the case press [Stop].

Su nombre: Su nombre, tal y como se muestra a los demás

Dirección de correo:

Contraseña:

Recordar contraseña

Buscando configuración: probando nombres habituales de servidor

Clic on Manual Config. Then fill the fields as shown below.

Choose POP. For IMAP configurations, check the NOTE at the end of the document.

Warning:: Do not write your password here if you don't want the e-mail to be downloaded and erased from the server now.

- When all the fields are set up, press [Try again], the next window should appear.

Configuración de cuenta de correo

Su nombre: Su nombre, tal y como se muestra a los demás

Dirección de correo:

Contraseña:

Recordar contraseña

Se ha encontrado la siguiente configuración sondeando el servidor suministrado

	Nombre del servidor	Puerto	SSL	Identificación
Entrante:	POP3 <input type="text" value="correu.cimne.upc.edu"/>	995	SSL/TLS	Contraseña normal
Saliente:	SMTP <input type="text" value="correu.cimne.upc.edu"/>	587	STARTTLS	Contraseña normal

Nombre de usuario:

If all is ok click to [Done] to finish the process:

- Go to Preferences > Account settings > Server settings, and check that all the fields are filled as follow:

Configuración del servidor

Tipo de servidor: Servidor de correo POP

Nombre del servidor: Puerto: 995 Predet.: 995

Nombre de usuario:

Configuración de seguridad

Seguridad de la conexión: SSL/TLS

Método de identificación: Contraseña normal

Configuración del servidor

Comprobar si hay mensajes nuevos al iniciar

Buscar nuevos mensajes cada minutos

Descargar automáticamente los mensajes nuevos

Descargar sólo los encabezados

Dejar los mensajes en el servidor

Eliminar mensajes del servidor tras días

Hasta que yo los borre

Almacenamiento de mensajes

Vaciar papelera al salir

Directorio local:

6. Now it's time to check the e-mail. Send an e-mail to yourself and check the inbox. Is possible that the following window appears. Simply accept and trust the exception and continue. This window is due to our strong security police and appears only the first time.



NOTE: To configure the client as IMAP you may choose the port number 993 instead of 995. IMAP is a protocol that leaves a copy of the emails on the server side, it is more useful when you are using more than one device at a time.

Remember that you can change your password going to:



<http://registme.cimne.upc.edu>